


Worldwide numbers represent medical diagnoses of TBI that occurred anywhere U.S. forces are located including the continental United States since 2000.

Concussion/Mild TBI is characterized by the following: Confused or disoriented state which lasts less than 24 hours; or loss of consciousness for up to 30 minutes; or memory loss lasting less than 24 hours. Excludes penetrating TBI. A CT scan is not indicated for most patients with a Mild TBI. If obtained, it is normal.

Moderate TBI is characterized by the following: Confused or disoriented state which lasts more than 24 hours; or loss of consciousness for more than 30 minutes, but less than 24 hours; or memory loss lasting greater than 24 hours but less than seven days; or meets criteria for Mild TBI except an abnormal CT scan is present. Excludes penetrating TBI. A structural brain imaging study may be normal or abnormal.

Severe TBI is characterized by the following: Confused or disoriented state which lasts more than 24 hours; or loss of consciousness for more than 24 hours; or memory loss for more than seven days. Excludes penetrating TBI. A structural brain imaging study may be normal but usually is abnormal.


Penetrating TBI, or open head injury, is characterized by the following: A head injury in which the scalp, skull and dura mater (the outer layer of the meninges) are penetrated. Penetrating injuries can be caused by high-velocity projectiles or objects of lower velocity such as knives, or bone fragments from a skull fracture that are driven into the brain.



Service	Component	Severity	Diagnosed
Army	Active	Penetrating	71
		Severe	74
		Moderate	990
		Mild	9,336
		Not Classifiable	999
	Guard	Penetrating	16
		Severe	11
		Moderate	120
		Mild	1,734
		Not Classifiable	150
	Reserve	Penetrating	2
		Severe	5
		Moderate	75
		Mild	964
		Not Classifiable	130

Source: Defense Medical Surveillance System (DMSS),


Theater Medical Data Store (TMDS) provided by the Armed Forces Health Surveillance Center (AFHSC)



Service	Component	Severity	Diagnosed
Navy	Active	Penetrating	21
		Severe	18
		Moderate	292
		Mild	2,563
		Not Classifiable	126
	Reserve	Penetrating	1
		Severe	2
		Moderate	14
		Mild	227
		Not Classifiable	10


Source: Defense Medical Surveillance System (DMSS),

Theater Medical Data Store (TMDS) provided by the Armed Forces Health Surveillance Center (AFHSC)



Service	Component	Severity	Diagnosed
Air Force	Active	Penetrating	23
		Severe	17
		Moderate	211
		Mild	2,653
		Not Classifiable	96
	Guard	Penetrating	1
		Severe	2
		Moderate	26
		Mild	375
		Not Classifiable	14
	Reserve	Penetrating	2
		Severe	1
		Moderate	12
		Mild	224
		Not Classifiable	11

Source: Defense Medical Surveillance System (DMSS), Theater Medical Data Store (TMDS) provided by the Armed Forces Health Surveillance Center (AFHSC)



Service	Component	Severity	Diagnosed
Marines	Active	Penetrating	23
		Severe	27
		Moderate	301
		Mild	2,700
		Not Classifiable	159
	Reserve	Penetrating	2
		Severe	2
		Moderate	23
		Mild	188
		Not Classifiable	9

Source: Defense Medical Surveillance System (DMSS),

Theater Medical Data Store (TMDS) provided by the Armed Forces Health Surveillance Center (AFHSC)